٢

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

#### 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

#### PRICING SUMMARY

PRICING SUMMARY - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck

	<u>MSRP</u>
Base Price	\$35,260.00
Total Options:	\$755.00
Vehicle Subtotal	\$36,015.00
Advert/Adjustments	\$0.00
Destination Charge	\$1,295.00
GRAND TOTAL	\$37,310.00

PRICE 27,963 75 INC. TIRE, DOCE TITLE FEE SERVICE BODY 7,813 735,776 75 TAX 71/4 2593 81 \$38,370 54

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

> GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

November 07, 2017 1:01:14 PM

,

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

#### 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

#### **SELECTED MODEL & OPTIONS**

SELECTED M	ODEL - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck	
<u>Code</u>	Description	MSRP
CC35903	2018 Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" Work Truck	\$35,260.00
SELECTED VI	EHICLE COLORS - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck	مرد بالا المراجع
<u>Code</u>	Description	
	Interior: Dark Ash with Jet Black Interior Accents	
-	Exterior 1: Summit White	
-	Exterior 2: No color has been selected.	
SELECTED O	PTIONS - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck	· · · · · · · · · · · · · · · · · · ·
CATEGORY		
<u>Code</u>	Description	<u>MSRP</u>
GVWR JFI	GVWR, 10,400 LBS. (4717 KG) WITH SINGLE REAR WHEELS (STD) (Requires C35903 and (L96) Vortec 6.0L V8 SFI engine.)	\$0.00
BODY CODE ZW9	PICKUP BOX, DELETE includes capped fuel fill, (SFW) Back-up alarm calibration, (9J4) rear bumper delete, spare tire delete, spare tire carrier delete and Tire Fill Alert delete. If equipped, deletes capless fuel fill, (Z82) trailering equipment, (A91) remote locking tailgate, (A60) locking tailgate, (PPA) EZ-Lift and Lower tailgate, (SAF) tire carrier lock and (JL1) trailer brake controller. (Requires a long box model C*359*3.) *CREDIT*	-\$955.00
EMISSIONS YF5	EMISSIONS, CALIFORNIA STATE REQUIREMENTS	\$0.00
ENGINE		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

November 07, 2017 1:01:14 PM

Customer File:

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: Ilee@lithia.com

## 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

#### **SELECTED MODEL & OPTIONS**

CATEGORY		
<u>Code</u>	Description	MSRP
ENGINE		
L96	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI E85- COMPATIBLE, FLEXFUEL capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) (STD) (Does not include E85 capability with (ZW9) pickup box delete.)	\$0.00
<b>FRANSMISSI</b>	ON	
MYD	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Requires (L96) Vortec 6.0L V8 SFI engine.)	\$0.00
\XLE		
GT4	REAR AXLE, 3.73 RATIO (Standard with (L5P) Duramax 6.6L Turbo-Diesel V8 engine. Not available with gas engine with dual rear wheels.)	\$100.00
	EQUIPMENT GROUP	
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP includes standard equipment	\$0.00
VHEELS		<u> </u>
РҮТ	WHEELS, 18" (45.7 CM) PAINTED STEEL includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (STD) (Requires single rear wheels, (QGM) LT265/70R18E all-terrain, blackwall tires or (QWF) LT265/70R18E all-season, blackwall tires.)	\$0.00
IRES		
QWF	TIRES, LT265/70R18E ALL-SEASON, BLACKWALL (STD) (Requires single rear wheels.)	\$0.00
PARE TIRE	TIRE, SPARE LT265/70R18E ALL-SEASON, STANDARD REMOVED	INC
AINT SCHEM	•	1140
ZY1	PAINT, SOLID	\$0.00
PAINT		
GAZ	SUMMIT WHITE	\$0.0

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

November 07, 2017 1:01:14 PM

Customer File:

,

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

# 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

# **SELECTED MODEL & OPTIONS**

<u>CATEGORY</u>		
<u>Code</u>	Description	MSRP
SEAT TYPE		
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER RECLINE with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manually adjustable driver lumbar. (STD) (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)	\$0.00
SEAT TRIM		
H2Q	DARK ASH WITH JET BLACK INTERIOR ACCENTS, VINYL SEAT TRIM	\$0.00
RADIO		
IOB	AUDIO SYSTEM, CHEVROLET MYLINK RADIO WITH 7" DIAGONAL COLOR TOUCH-SCREEN, AM/FM STEREO with seek-and-scan and digital clock, includes USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones	\$0.00
ADDITIONAL I		
PCR	WT FLEET CONVENIENCE PACKAGE includes (DPN) outside heated power-adjustable vertical trailering mirrors, (A91) remote locking tailgate and (AQQ) Remote Keyless Entry; Regular Cab also includes (A31) power windows (If (ZW9) pickup box delete is ordered (A91) remote locking tailgate will not be included.)	\$965.00
KW5	ALTERNATOR, 220 AMPS (Included with (VYU) Snow Plow Prep Package when ordered with gas or diesel engines.)	\$150.00
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED (If (ZW9) pickup box delete or (9J4) rear bumper delete is ordered (JL1) trailer brake controller is deleted and available to order as a free flow option.)	\$0.00
	CAPPED FUEL FILL (Included and only available with (ZW9) pickup box delete or (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)	INC
	WHEEL, 18" X 8" (45.7 CM X 20.3 CM) FULL-SIZĚ, STEEL SPARE, STANDARD REMOVED	\$0.00
9J4	BUMPER, REAR, DELETE (Requires single rear wheels. Included with (ZW9) pickup box delete.) *CREDIT*	\$0.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

**Customer File:** 

,

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

# 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

## **SELECTED MODEL & OPTIONS**

SELECTED OPTIONS - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck			
CATEGORY			
<u>Code</u>	Description	MSRP	
ADDITIONAL	EQUIPMENT		
VXJ	LPO, ASSIST STEPS - 4" CHROMED ROUND (dealer-installed) (Not available with (S6L) off-road assist steps, LPO, (RVS) 4" round Black tubular assist steps, LPO or (VXH) 6" rectangular chrome tubular assist steps, LPO.)	\$585.00	
DPN	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE VERTICAL TRAILERING, UPPER GLASS, MANUAL-FOLDING AND EXTENDING, BLACK; includes integrated turn signal indicators consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power adjustable) and addition of auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp (Included and only available with (PCR) WT Fleet Convenience Package and includes (DD8) auto-dimming inside rearview mirror.)	INC	
VK3	LICENSE PLATE KIT, FRONT (will be shipped to orders with ship-to states that require front license plate)	\$0.00	
A31	WINDOWS, POWER with driver express up and down and express down on all other windows (Standard on Crew Cab and Double Cab. On Regular Cab, included and only available with (PCR) WT Fleet Convenience Package.)	INC	
AQQ	REMOTE KEYLESS ENTRY (Included and only available with (PCR) WT Fleet Convenience Package, Includes (A91) remote locking tailgate.)	INC	
DD8	MIRROR, INSIDE REARVIEW AUTO-DIMMING (Included and only available with (PCR) WT Fleet Convenience Package.)	INC	
R9Y	FLEET FREE MAINTENANCE CREDIT. This option code provides a credit in lieu of the free oil changes, the rotations and inspections (2 maximum), during the first 24 months and 24,000 miles period for this ordered vehicle. The invoice will detail the applicable credit. The customer will be responsible for all oil change, tire rotations and inspections costs for this vehicle. (Requires one of the following Fleet or Government order types: FBC, FBN, FCA, FCN, FEF, FLS, FNR, FRC or FGO. Not available with FDR order type.)	-\$90.00	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

.

4

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

## 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

# **SELECTED MODEL & OPTIONS**

<u>CATEGORY</u>		
<u>Code</u>	Description	MSRF
ADDITIONAL	EQUIPMENT	
VQ2	FLEET PROCESSING OPTION	\$0.00
SPECIAL EQU	JIPMENT OPTIONS	
SFW	BACKUP ALARM CALIBRATION This callbration will allow installation of an aftermarket back up alarm. (Not available with SEO (8S3) back-up alarm or (UY2) trailer wiring provisions. Included with (ZW9) pickup box delete.)	INC
OPTIONS TO	TAL	\$755.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tiee@lithia.com

# 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

#### STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck

#### ENTERTAINMENT

- Audio system, Chevrolet MyLink Radio with 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones
- 6-speaker audio system
- Bluetooth for phone personal cell phone connectivity to vehicle audio system

#### EXTERIOR

- Wheels, 18" (45.7 cm) painted steel includes 18" x 8" (45.7 cm x 20.3 cm) steel spare wheel. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels, (QGM) LT265/70R18E all-terrain, blackwall tires or (QWF) LT265/70R18E all-season, blackwall tires.)
- Tires, LT265/70R18E all-season, blackwall (Requires single rear wheels.)
- Wheel, 18" x 8" (45.7 cm x 20.3 cm) full-size, steel spare. Spare not included with (ZW9) pickup box delete unless a spare tire is ordered. (Requires single rear wheels. Included with (E63) pickup box. Available to order when (ZW9) pickup box delete is ordered.)
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Not included when (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- Bumper, front chrome
- Bumper, rear chrome with bumper CornerSteps
- · CornerStep, rear bumper
- Grille surround, chrome
- Headlamps, halogen projector-beam
- · Lamps, cargo area, cab mounted with switch on center switch bank
- Mirrors, outside high-visibility vertical trailering, Black with manual folding and extension and lower convex spotter glass
- Glass, solar absorbing, tinted
- Door handles, Black
- Tailgate and bed rail protection caps, top
- Tailgate, locking, utilizes same key as ignition and door (Not available with (AQQ) Remote Keyless Entry.)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

> GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. **Customer File:**

•

.

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

#### 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

#### STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck

#### INTERIOR

- Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Vinyi has fixed lumbar and cloth has manually adjustable driver lumbar. (Upgradeable to (AZ3) front 40/20/40 split-bench seat.)
- · Seat trim, Vinyl
- · Floor covering, Graphite-colored rubberized-vinyl
- Steering wheel
- Steering column, manual Tilt-Wheel
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Driver Information Center 3.5-inch diagonal monochromatic display, provides warning messages and basic vehicle information
- Door locks, power
- Cruise control, steering wheel-mounted
- · Air conditioning, single-zone
- · Assist handle, front passenger and driver on A-pillars

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

November 07, 2017 1:01:14 PM

Customer File:

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithla.com

#### 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

#### STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck

#### MECHANICAL

- Engine, Vortec 6.0L Variable Valve Timing V8 SFI E85-compatible, FlexFuel capable of running on unleaded or up to 85% ethanol (360 hp [268.4 kW] @ 5400 rpm, 380 lb-ft of torque [515.0 N-m] @ 4200 rpm) (Does not include E85 capability with (ZW9) pickup box delete.)
- Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Rear axle, 4.10 ratio (Requires (L96) Vortec 6.0L V8 SFI engine.)
- Suspension Package, Standard includes 51mm twin tube shock absorbers and 33mm front stabilizer bar
- Pickup box
- GVWR, 10,400 lbs. (4717 kg) with single rear wheels (Requires C35903 and (L96) Vortec 6.0L V8 SFI engine.)
- Air cleaner, high-capacity
- Differential, heavy-duty locking rear
- Rear wheel drive
- Trailering equipment Trailering hitch platform 2.5" with a 2.0" insert for HD, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector to hook up parking lamps, backup lamps, right and left turn signals, an electric brake lead, baltery and a ground, The trailer connector also includes the 4-way for use on trailers without brakes park, brake/turn lamps (Will be deleted if (ZW9) pickup box delete or (9J4) rear bumper delete is ordered.)
- · Cooling, external engine oil cooler
- · Cooling, auxiliary external transmission oil cooler
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power
- Alternator, 150 amps
- Trailer brake controller, integrated (If (ZW9) pickup box delete or (9J4) rear bumper delete is ordered (JL1) trailer brake controller is deleted and available to order as a free flow option.)
- · Recovery hooks, front, frame-mounted, black
- Frame, fully-boxed, hydroformed front section
- · Chassis, single rear wheel
- · Steering, Recirculating ball with smart flow power steering system

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave, Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

## 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

#### STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck

- Brakes, 4-wheel antilock, 4-wheel disc with DuraLife brake rotors (Requires single rear wheels.)
- Capless Fuel Fill (Gas engine only. Not available with (ZW9) pickup box delete.)
- · Exhaust, aluminized stainless-steel muffler and tailpipe

#### SAFETY

- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right front passenger, single stage (Always use safely belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bag deactivation switch, frontal passenger-side (Standard on Double Cab and Regular Cab models. Not available on Crew Cab models.)
- OnStar, delete also deletes driver information center compass.
- Rear Vision Camera (Removed when (ZW9) pickup box delete is ordered.)
- Teen Driver mode a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your new driver

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

November 07, 2017 1:01:14 PM

.

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

# 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W WEIGHT RATINGS

	······································
Front Gross Axle Weight Rating:	4,400.00
Rear Gross Axle Weight Rating:	7,050.00
Gross Vehicle Weight Rating:	10,400.00

WEIGHT RATINGS - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

۱

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

## 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

#### **TECHNICAL SPECIFICATIONS**

POWERTRAIN - BASIC SPECIFICATIONS - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133,6" Work Truck

ENGINE	
Engine Order Code	L96
Engine Type	* Gas V8
Displacement	6.0L/366 CID
SAE Net Horsepower @ RPM	* 322 @ 4400
SAE Net Torque (Ib ft) @ RPM	380 @ 4200
TRANSMISSION	
Transmission order code	MYD
Transmission Type Description	* 6-Speed Automatic
Drive Train	Rear Wheel Drive
MILEAGE	
City EPA fuel economy estimate (MPG)	

City EPA fuel economy estimate (MPG)

Hwy EPA fuel economy estimate (MPG)

City cruising range (mi)

Hwy cruising range (mi)

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

•

5

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

# 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

## **TECHNICAL SPECIFICATIONS**

TRANSMISSION				
Gear Ratio (:1)				
First Gear Ratio (:1)	4.03			
Second Gear Ratio (:1)	2.36			
Third Gear Ratio (:1)	1.53			
Fourth Gear Ratio (:1)	1.15			
Fifth Gear Ratio (:1)	0.85			
Sixth Gear Ratio (:1)	0.67			
Reverse Ratio (:1)	3.06			
Clutch size (in)				
Power Take-Off				
TRANSFER CASE				
Transfer case model				
Gear Ratio (:1)				
Transfer case high gear ratio				
Transfer case low gear ratio				
Transfer case power take off				
DIFFERENTIAL	Front		Rear	
Axle Ratio (:1)			* 3.73	
ELECTRICAL				
Battery	1	2	3	Tota
Battery cold cranking Amps @ 0 F	720.00			720.00
Alternator				
Alternator Amps	* 220.00			
COOLING SYSTEM				
Cooling system capacity	- TBD -			
Engine oil cooler	Yes			

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

# 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

# **TECHNICAL SPECIFICATIONS**

WEIGHT INFORMATION	Front	Rear	Tota
Gross Axle Wt Rating (lbs)	4,400.00	7,050.00	
Curb Weight (lbs)	3,238.00	2,747.00	5,985.0
Total Option Weight (lbs)	0.00	0.00	0.00
As Spec'd Curb Weight (lbs)	3,238.00	2,747.00	5,985.0
As spec'd payload (lbs)			4,415.0
Total Weight (lbs)	3,238.00	2,747.00	6,335,0
Reserve Axle Capacity (lbs)	1,162.00	4,303.00	5,465.0
Gross Vehicle Wt Rating (lbs)			10,400.0
Gross Combined Wt Rating (lbs)			* 16,600.0
FRAILERING	Max Trailer Wt.	Max Tongue Load	
Dead Weight Hitch (lbs)	* 5,000.00	* 500.00	
Weight Distributing Hitch (lbs)	*	*	
Fifth Wheel Hitch (lbs)	*	*	

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

November 07, 2017 1:01:14 PM

.

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

# 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

# **TECHNICAL SPECIFICATIONS**

CHASSIS SPECIFICATIONS - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck

SUSPENSION	Front	Rear	
Spring			
Spring Type	Independent	Multi-Leaf	
Spring Capacity	4,400.00	7,050.00	
Axle			
Axle Type	Independent	Full-Floating	
Axle Capacity	4,400.00	7,050.00	
Shock Absorber Diameter (mm)	51.00	51.00	
Stabilizer Bar Diameter (in)	1.31		
BRAKES			
Brake type	Pwr		
ABS System	4-Wheel		
	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	13.98 x - TBD -	14.7 x -TBD-	
Drum			
Drum Dlam x Width (in)			
FIRES	Front	Rear	Spare
Tire Order Code	QWF	QWF	-
Tire Size	LT265/70R18E	LT265/70R18E	
Capacity	- TBD -	- TBD -	- TBD -
Revolutions/Mile @ 45mph	- TBD -	- TBD -	- TBD -
VHEELS	Front	Rear	Spare
Wheel Size	18 x 8.0	18 x 8.0	•
Wheel Type	Steel	Steel	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

November 07, 2017 1:01:14 PM

٢

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

# 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

## **TECHNICAL SPECIFICATIONS**

#### CHASSIS SPECIFICATIONS - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck

STEERING		
Steering type	Pwr Recirculating Ball	
Ratio (:1)		
On Center	16.00	
At Lock	N/A	
Turning Diameter		
Curb-to-Curb	45.90	
Wall-to-Wall	N/A	
FUEL TANK	Main	Auxiliary
Capacity	36.00	_
Location	- TBD -	

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

November 07, 2017 1:01:14 PM

,

κ.

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

# 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

#### TECHNICAL SPECIFICATIONS

EXTERIOR DIMENSIONS		
Wheelbase (in)	133.60	
Length, Overall w/o rear bumper (in)	224.40	
Width, Max w/o mirrors (in)	80.12	
Height, Overall (in)	77.83	
Overhang		
Overhang, Front	- TBD -	
Front Bumper to Back of Cab (in)	117.10	
Cab to Axle (in)	55.16	
Cab to End of Frame (in)	- TBD -	
Ground to Top of Load Floor (in)	*	
Ground to Top of Frame (in)	- <b>T</b> BD -	
Frame Width, Rear (in)	- TBD -	
Ground Clearance		
Ground Clearance, Front	- TBD -	
Ground Clearance, Rear	8.42	
CARGO AREA DIMENSIONS		
Cargo Box Length @ Floor (in)	*	
Width		
Cargo Box Width @ Top, Rear		
Cargo Box Width @ Floor		
Cargo Box Width @ Wheelhousings		
Cargo Box (Area) Height (in)	*	
Tailgate Width (In)	*	
Cargo Volume (ft <sup>3</sup> )	*	
Ext'd Cab Cargo Volume (ft <sup>3</sup> )		
NTERIOR DIMENSIONS		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

November 07, 2017 1:01:14 PM

,

١

Prepared By: Tom Lee Lithia Chevrolet 200 East Cypress Ave. Redding, CA 96002 Phone: (530) 226-2114 Fax: (530) 221-4590 Email: tlee@lithia.com

# 2018 Fleet/Non-Retail Chevrolet Silverado 3500HD 2WD Reg Cab 133.6" W

## TECHNICAL SPECIFICATIONS

DIMENSIONS - 2018 Fleet/Non-Retail CC35903 2WD Reg Cab 133.6" Work Truck

INTERIOR DIMENSIONS	
Passenger Capacity	3
Seating Position	Front
Head Room (in)	42.80
Leg Room (in)	45.27
Shoulder Room (in)	66.03
Hip Room (in)	60.73

\* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 515.0, Data updated 10/31/2017 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved. Customer File:

November 07, 2017 1:01:14 PM

I INI CC . Scelzi Enterprises, Inc. Custom Truck Body Manufacturing			Annadale Office, 2316 E. Annadale, Fresno, CA 93706 Phone: 559-237-5541 Fax: 559-237-5554 Tol Free: (800) 858-2883			WORK ORDER / ESTIMATE 135819 Page 1 of 2	
Customer: Address:	LITHIA CHEVROLET OF REDD 200 E CYPRESS AVE REDDING, CA 96002	NG	Date: Phone: Contact: Terms:	11/03/17 (530) 226-2114 TOM LEE C.O.D.	FAX:		
Make		CHEVY 3500, REG C	Vehicle Info AB, SRW, WHITE, 60°CA			NEWN # State # 198	
Quantity		Part No / Do	escription			Price	
	PAINT BODY WHIT REAR MOUNTED F DROP SHIP CODE:	UEL TANK		· .			
1 EA	SB-108-79-49-38-VO SERVICE BODY SRW 60C, VERTICAL OPEN TOP	4-108 LONG, 79 WIDE	, 49 FLOOR WIDTH, 3	8 TALL		\$7,760.00 <i>1</i> EA	
	1EA - ALL LIGHTS TO BE I.	.E.D.					
1 EA	BUMPER 6" DIAMOND PLATE STEP	BUMPER - POWDER (	COATED GRAY	-		, \$0.00/EA	
	1EA - CLASS 4 RECEIVER	HITCH WITHOUT INS	ERT				
	1EA - 7 PRONG RV TRAILE	R PLUG, #12707					
1 EA	LADDER RACK-FORKLIFT 2" X 3" X .120 WALL - (POV	VDER COATED WHITE	:)		·	\$0.00/EA	
1 EA	HWD FEE HAZARDOUS WASTE DISF	POSAL FEE				\$25.00/EA	
1 EA	WEIGHT CERTIFICATE WEIGHT CERTIFICATE OF	COMPLETED UNIT				\$28.00/EA	
1 EA	TRANSPORTATION ONE WAY TO REDDING, C	A				\$0.00/EA	
	CONTACT: TOM LEE 530-226-2114						

б ;

. . .

Sc	A State of the second s		Annadale Office, 2316 E. Annadale Phone: 559-237-5541 Fax: 559-237-5554			13	ER / ESTIMATE 5819 @ 2 of 2
Customer:	LITHIA CHEVROI	ET OF REDDING	9	Dale:	11/03/17		
	200 E CYPRESS		-	Phone:	(530) 226-2114	FAX:	
	REDDING, CA 96			Conlacl:	TOM LEE		
				Terms:	C.O.D.		
Make	Year	Model	Vehicle Info		Тур	e	VIN# 200
	2018	CUSTTRUCK	CHEVY 3500, REG CAB, SRW, W	HITE, 60"CA	Custo	mer	
Quantity			Parl No / Description				Price
				•			
				•			
Disclaimer;			iises inc. does hot quarantee a per Consistencies in factory paints an				
	REVISIONS	AFTER APPRO	)VAL DATE ARE				
		T TO ADDITION					
PRICES SI	JBJECT TO CHAI	ige without N	OTICE				
THIS WORK					_		<b>d</b> = = <b>c</b> = <b>c</b> =
AUTHORIZED B		completion of ich il co	DATE:	vaoce.	1	Total:	\$7,813.00
	ion is submitted acco	ording to specificatio	ons submitted by customer. Any	L.M. CARME	ESTIMATE		
			charged for accordingly.		PREPARED BY:	Villalobos, Nicole	
					SALESMAN:	MIKE HEADLEY	

.

. X \$